



Commonwealth of Massachusetts
OFFICE OF CONSUMER AFFAIRS AND BUSINESS REGULATION
DIVISION OF PROFESSIONAL LICENSURE
1000 Washington St, Suite 710
Boston, Massachusetts 02118-6100
BOARD OF STATE EXAMINERS OF PLUMBERS AND GASFITTERS

March 9, 2016

Lexor
14800 Golden West Street
Westminster
CA, 92683 USA

You are hereby advised that on 3/2/2016 the Board took action pursuant to your application(s) for extended Product acceptance for product(s) as indicated on the attached list.

Accepted

The acceptance number(s) displayed have been granted. Please be advised, the product shall be installed in compliance with CMR 248, the Massachusetts Fuel Gas and Plumbing Code. Your extended Product acceptance is in effect for three years beginning 3/2/2016. At the expiration of the extended three year Product acceptance it will be necessary for the manufacturer to petition this Board for an additional three year extended Product acceptance. You are further advised that the preceding accepted Product are not to be construed as an endorsement of these products nor is this letter to be used or reproduced as advertisement of the products.

Tablings

If an extended Product acceptance was Tabled for 'insufficient receipt of (a specified) fee', forward the balance of the fee due directly to the Board Office at the address shown above. Additionally, if this is the only reason for the Tabling decision, you will not be required to appear before the Board again.

If an extended Product acceptance was Tabled due to the absence of a manufacturers representative ('Failure to Appear') as required, call the Board Office at (617) 727-9952 to re-schedule an appearance before the Board. Failure to reschedule within six months of the date of this correspondence will result in the application fee being forfeited and the closing of your file. Note: extended Product-approvals may not require a manufacturers representative to be present at the Board meeting. Please call the Board Office for verification.

If you have any questions regarding the extended Product acceptance decision reached by the Board, please call the Board Office at (617) 727-9952 or email the Board at cynthia.e.johnson@state.ma.us.

Very truly yours,
For the Board

Wayne E. Thomas, Executive Director
Board of State Examiners of Plumbers and Gas Fitters

<http://www.mass.gov/dpl/boards/pl/>
Forms available at <http://www.mass.gov/dpl/boards/pl/forms.htm>

Application for Extension

Type: Plumbing

Board Meeting Date:

3/2/2016

Manufacturer: Lexor

<i>Product Name</i>	<i>Model</i>	<i>Action</i>	<i>Acceptance Code : Expiration Date/Tabling Reaso</i>	
Elite Spa	ELITE001	Accepted	P3-0316-343	3/2/2019
Infinity Spa	INFINITY001	Accepted	P3-0316-343	3/2/2019
Liberte Spa	LIBERTE001	Accepted	P3-0316-343	3/2/2019
Luminous Spa	LIMINUOUS001	Accepted	P3-0316-343	3/2/2019
Mystique Spa	MYSTIQUE001	Accepted	P3-0316-343	3/2/2019
Q-Spa	QSPA001	Accepted	P3-0316-343	3/2/2019
Stellar Spa	STELLAR001	Accepted	P3-0316-343	3/2/2019
Ultima Spa	ULTIMA001	Accepted	P3-0316-343	3/2/2019
Versas Spa	VERSAS001	Accepted	P3-0316-343	3/2/2019
Vigor Spa	VIGOR001	Accepted	P3-0316-343	3/2/2019
V-Spa	VSPA001	Accepted	P3-0316-343	3/2/2019